

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	2	("20070275730").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/21 17:36
S36	26	((location or position find) with (each or every)) and (request near5 (broadcasted multicasted multi-casted))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:14
S37	13	S36 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:14
S38	5	S37 and (mobile wireless cell\$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:14
S39	1635	((location or position find) with (each or every)) and (request near5 (broadcast\$3 multicast \$3 multi-cast\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:15
S40	1217	S39 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:15
S41	1080	S40 and (mobile wireless cell\$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:15

S42	50	S41 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:15
S43	12	((location or position find) with (each or every)) and (request near5 (broadcast\$3 multicast \$3 multi-cast\$3) near5 (each or every))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:16
S44	9	S43 and (mobile wireless cell\$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:17
S45	6	S44 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:17
S46	807	((user subscriber) near5 request near5 (retriev\$3 or obtain\$3) near5 (find locat\$3 position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:22
S47	643	S46 and (mobile wireless cell\$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:23
S48	1210	((broadcast\$3) near5 request near5 (multiple plurality each every))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:24
S49	2	S47 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:24
S50	1	S49 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:24

S51	1690	((broadcast\$3 multicast\$3 multi-cast) near5 request near5 (multiple plurality each every))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:25
S52	4	S47 and S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:25
S53	3	S52 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:25
S54	39	((user subscriber) near5 (request command\$3 inquiry) near5 (retriev\$3 or obtain\$3) near5 (find locat\$3 position)) and ((broadcast\$3 multicast\$3 multi-cast) near5 (multiple plurality each every))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:27
S55	33	S54 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:27
S56	30	S55 and (mobile wireless cell\$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:28
S57	32	((user subscriber) near5 (request command\$3 inquiry) near5 (retriev\$3 or obtain\$3) near5 (find locat\$3 position)) and ((broadcast\$3 multicast\$3 multi-cast) near5 ("devices" "terminals"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:31
S58	17	S57 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:31

S59	17	S58 and (mobile wireless cell\$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:31
S60	949	((user subscriber) near5 (request command\$3 inquiry) near5 (find locat\$3 position)) and ((broadcast\$3 multicast\$3 multi-cast) near5 (multiple plurality each every))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:33
S68	160	((ack acknowledg\$4 consent confirmation) near5 request\$3) near5 ("devices" "terminals" "subscribers" or ((each every) near2 (terminal subscriber device))) with (find locat\$3 position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:45
S69	144	S68 and (mobile wireless cell\$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:45
S70	44	S69 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:45
S71	20	S70 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 18:45
S72	230	((forward\$3 relay\$3) with (user near2 request) with (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:11
S73	26	S72 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:12
S74	10	S73 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:12

S75	255	((forward\$3 relay\$3) with request with (user) near2 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:14
S76	58	S75 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:14
S77	24	S76 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:14
S78	1216	((("devices" "terminals") with request with (user) near2 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:23
S79	276	S78 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:23
S80	751	((("devices" "terminals") near5 request with (user) near2 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:23
S81	170	S80 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:23
S82	74	S81 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:24
S83	8	S82 and ((ack acknowledg\$4 consent confirmation) near5 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:25

S84	4	((distribut\$3) with request with (entire each every) near2 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:39
S85	2	S84 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:39
S86	2	((distribut\$3) with request with (entire each every) with (user near2 (location\$3 position\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:40
S87	0	S86 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:40
S88	241	((distribut\$3) with request with (user near2 (location\$3 position\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:41
S89	16	S88 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:41
S90	8	S89 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:41
S91	29	((distribut\$3) with request with (subscriber near2 (location\$3 position\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:46
S92	15	S91 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:46

S93	191	S88 and (mobile wireless cell\$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:47
S94	7	S92 and (mobile wireless cell\$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 19:47
S95	448	((("devices" "terminals" "users" "subscribers") near5 request) same ((own their) near2 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:10
S96	144	S95 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:10
S97	75	S96 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:11
S98	113	((("devices" "terminals" "users" "subscribers") near5 request) same ((user subscriber device) near3 (own their) near2 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:11
S100	117	((("devices" "terminals" "users" "subscribers") near5 request) same ((user subscriber device terminal) near5 (location\$3 position\$3)) and (request near5 (find\$3) near5 (device terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:14
S101	43	S100 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:15
S102	28	S101 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:15

S103	3716	((device terminal user subscriber) near2 (broadcast\$3 multicast\$3 multi-cast\$3)) same ((user subscriber device terminal) near5 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:36
S104	296	((device terminal user subscriber) near2 (broadcast\$3 multicast\$3 multi-cast\$3)) same (request\$3 near5 (user subscriber device terminal) near5 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:37
S105	60	S104 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:38
S106	23	S105 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:38
S107	0	((device terminal user subscriber) near2 (broadcast\$3 multicast\$3 multi-cast\$3)) same (request\$3 near5 (every each) near5 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:44
S108	11	((broadcast\$3 multicast\$3 multi-cast\$3)) same (request\$3 near5 (every each) near5 (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:44
S109	6	S108 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:44
S110	4	S109 and (mobile wireless cell \$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:44
S111	71	((broadcast\$3 multicast\$3 multi-cast\$3)) same (request\$3 with (location\$3 position\$3 find located)) same ((every each) with (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:48



S112	28	S111 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:48
S113	16	S112 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:48
S114	438	(device terminal user station subscriber) with (position location located) with (aid assist \$4 help participat\$3) with other	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:55
S115	38	S114 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:55
S116	22	S115 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 20:55
S117	258	(mobile wireless cell\$4 portable) with own near2 (position or location) with (other group every each plurality multiple)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 21:55
S118	94	S117 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 21:55
S119	65	S118 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 21:55
S120	27	S119 and ((mobile wireless cell \$4 portable) near5 (request\$3) with (location\$3 locat\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/21 21:57

S121	2	("20050099942").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/22 14:34
S122	2	("20040214584").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/22 15:46
S123	2	("7151939").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/22 15:52
S124	1207	accuracy with (condition or criteria) with (ack or acknowledg\$4 or response)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:02
S125	17	S124 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:03
S126	8	S125 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:03
S127	3	S126 and ((mobile wireless cell \$4 portable) near5 (request\$3) with (location\$3 locat\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:03
S128	6	S126 and (mobile wireless cell \$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:09
S129	6	S128 and (location\$3 locat\$3 position\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:10

S130	235	(accuracy near5 (condition or criteria)) same ((location\$3 locat\$3 find position\$3) with (ack or acknowledg\$4 or respon\$4 confirm\$5 willing participat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:20
S131	11	S130 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:20
S132	6	S131 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:21
S133	6	S132 and (mobile wireless cell \$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:21
S134	651	(accuracy near5 (condition or criteria)) with ((ack or acknowledg\$4 or respon\$4 confirm\$5 willing participat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:26
S135	511	S134 and (location\$3 locat\$3 position\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:27
S136	208	S135 and (mobile wireless cell \$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:27
S137	5	S136 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:27
S138	3	S137 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:27

S139	1366	(accura\$2 with (ack or acknowledg\$4 or respon\$4 confirm\$5) with (request inquiry))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:39
S140	178	S139 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:40
S141	106	S140 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:40
S142	69	(accura\$2 with (ack or acknowledg\$4 or respon\$4 confirm\$5) with (request inquiry) with (condition criteria threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:40
S143	6	S142 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:40
S144	0	S143 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:40
S145	163	(accura\$2 with (ack or acknowledg\$4 or respon\$4 confirm\$5) with (request inquiry)) and (accura\$2 near5 (condition criteria threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:41
S146	20	S145 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:41
S147	8	S146 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:41

S148	2144	((ack or acknowledg\$4 or respon\$4 confirm\$5) with (request inquiry)) and (accura\$2 near5 (condition criteria threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:47
S149	61	((ack or acknowledg\$4 or respon\$4 confirm\$5) with (request inquiry)) same (accura\$2 near5 (condition criteria threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:47
S150	6	S149 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:47
S151	3	S150 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:48
S152	21	(ack or acknowledg\$4 or respon\$4 confirm\$5) near5 only near5 (accura\$2 near5 (condition criteria threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:49
S153	0	S152 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:49
S154	1043	(ack or acknowledg\$4 or respon\$4 confirm\$5) near5 (accura\$2 near5 (condition criteria threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:49
S155	22	S154 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:49
S156	11	S155 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 16:50

S157	46	(ack or acknowledg\$4 or respon\$4 confirm\$5) near5 (accura\$2 near5 (condition criteria threshold)) and (request with (position\$3 location\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:27
S158	37	S157 and (mobile wireless cell \$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:28
S159	23	S158 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:28
S160	71	((ack or acknowledg\$4 or respon\$4 confirm\$5) near5 (based only) with (condition criteria threshold)) and (accura\$2 near5 (condition criteria threshold)) and (request with (position\$3 location\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:30
S161	60	S160 and (mobile wireless cell \$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:30
S162	44	S161 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:30
S163	2	S162 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 17:31
S164	17004	(request or inquir\$3 or quer\$3) with (distance or accuracy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:39
S165	8950	S164 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:39

S166	848	S165 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:39
S171	5884	(request or inquir\$3 or quer\$3) with (add\$3 includ\$3 parameter condition criteria rule polic\$3 metric parameter measurement threshold characteristic predetermined pre-determined predefined pre-defined) with (distance or accuracy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:43
S172	690	S171 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:43
S173	331	S172 and ((@riad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:44
S174	31	S173 and ((request or inquir\$3 or quer\$3) with (broadcast\$3 multicast\$3 multi-cast))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:44
S175	22	S174 and ((request or inquir\$3 or quer\$3) same (location\$3 position\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:45
S176	2	"20100176949"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:49
S177	1	S175 and S176	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:49

S178	1	S175 and S176 and (assistant with (mobile wireless portable cell\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 10:50
S179	2	("20020142717").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/27 20:23
S180	320	(time with elapsed with request) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:12
S181	182	S180 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:12
S182	77	(location with request) and S181	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:13
S183	47	S182 and retriev\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:13
S184	142	(time near5 elapsed near5 request) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:14
S185	77	S184 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:14
S186	51	(location near5 request) and S181	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:14



S187	17	((location near5 request) and S185	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:14
S188	13	S187 and retriev\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:14
S189	46	((((time near5 elapsed near5 request) or (time near2 difference)) with includ\$3 with response) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:19
S190	26	S189 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:19
S191	9	((location near5 request) and S190	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:19
S192	0	((((time near5 elapsed near5 request) or (time near2 difference)) with includ\$3 with response with (\$2other near2 device)) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:41
S193	0	((((time near5 elapsed near5 request) or (time near2 difference)) with includ\$3 with response with (\$2other near2 terminal)) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:42
S194	0	((((time near5 elapsed near5 request) or (time near2 difference)) with response with (\$2other near2 terminal)) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:43
S195	53	((((time near5 elapsed near5 request) or (time near2 difference)) with response with (device terminal)) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:43

S196	24	S195 and (((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:43
S197	8	((time near5 elapsed near5 request) or (time near2 difference)) with response with (second near2 (device terminal))) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:45
S198	6	S197 and (((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:46
S199	4	(receiv\$3 with sen\$4 with difference with response with (second near2 (device terminal))) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:51
S200	3	S199 and (((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:51
S201	2	("6826416").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/28 09:55
S202	0	(receiv\$3 and sen\$4 and difference) and (response with (second near2 (device terminal))) and S201	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:56
S203	0	(response with (second near2 (device terminal))) and S201	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:57
S204	1	S201 and (time near2 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 09:58

S205	2	"20100176949"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 10:16
S206	2	"20100176949"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 10:34
S207	16	((plurality or each or every other all) with (time near2 difference) with respon\$4) and 455/4\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 10:57
S208	12	S207 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 10:58
S209	7	((plurality or each or every other all) with (time near2 difference)) and (broadcast\$3 with (location\$3 position\$3) with request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 11:00
S210	0	S209 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 11:01
S211	11	S208 and (mobile wireless cell \$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 11:22
S212	649	broadcast\$3 and (mobile wireless cell\$4 portable) and ((plurality or each or every other all) with (time near2 difference))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 11:36
S213	183	broadcast\$3 and (mobile wireless cell\$4 portable) and ((plurality or each or every other all) with (time near2 difference)) and ((request inquiry query interrogat\$3) same (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 11:37

S214	101	S213 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 11:38
S215	46	S214 and (broadcast\$3 same (request inquiry query interrogat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 11:40
S216	37	S215 and ((plurality or each or every other all) near5 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 11:50
S217	37	S215 and ((plurality or each or every other all) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 11:51
S218	883	broadcast\$3 and (mobile wireless cell\$4 portable) and ((plurality or each or every other all) with (respon\$4 repl \$3 send\$3 sent transmi\$5) with (location\$3 position\$3)) and ((request inquiry query interrogat\$3) with (location position)) and (broadcast\$3 with (request inquiry query interrogat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 13:41
S219	531	S218 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 13:42
S220	347	broadcast\$3 and (mobile wireless cell\$4 portable) and ((plurality or each or every other all) with (respon\$4 repl \$3 send\$3 sent transmi\$5) with (location\$3 position\$3)) and (broadcast\$3 with (request inquiry query interrogat\$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 13:45
S221	195	S220 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 13:45

S222	43	S221 and ((respon\$4 repl\$3 send\$3 sent transmi\$5) with "same" with (request inquiry query interrogat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 13:47
S223	8	S222 and (455/4\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 13:50
S224	141	broadcast\$3 and (mobile wireless cell\$4 portable) and ((plurality or each or every other all) with (time near2 difference)) and ((request inquiry query interrogat\$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:36
S225	9	(mobile wireless cell\$4 portable) and ((plurality or each or every other all) with (response near2 period)) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:38
S226	1	S225 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:39
S227	0	S226 and ((@riad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:39
S228	85	(mobile wireless cell\$4 portable) and ((plurality or each or every other all) with ((respon\$4 repl\$3 send\$3 sent transmi\$5) near3 (criteria rule polic\$3 metric parameter measurement threshold characteristic predetermined pre-determined predefined pre-defined))) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:43

S229	31	S228 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:43
S230	13	S229 and ((@riad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:44
S231	3	((broadcast\$3 multicast multi- cast\$3) near5 (request inquiry query interrogat\$3) near5 (location position) near5 ((mobile wireless cell\$4 portable) near2 (device terminal station)) near5 (plurality or each or every other all))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:52
S232	1	S231 and ((@riad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:53
S233	75	((broadcast\$3 multicast multi- cast\$3) near5 (request inquiry query interrogat\$3) near5 ((mobile wireless cell\$4 portable) near2 (device terminal station)) near5 (plurality or each or every other all))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:53
S234	38	S233 and ((@riad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:54
S235	35	S234 and ((respon\$4 repl\$3 send\$3 sent transmi\$5) with (interval period time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 14:55
S236	1	(mobile wireless cell\$4 portable) with ((own or their) near2 (location\$3 position\$3)) with during with emergency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:09

S237	0	(mobile wireless cell\$4 portable) with (its near2 (location\$3 position\$3)) with during with emergency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:11
S238	76	((mobile wireless cell\$4 portable) with (location\$3 position\$3) with (assistance help aid)) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (mobile wireless portable cell\$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:20
S239	46	S238 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:21
S240	40	S239 and ((respon\$4 repl\$3 send\$3 sent transmi\$5) with (interval period time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:22
S241	23	S240 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:23
S242	22	S240 and ("455"/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:23
S243	40	((mobile wireless cell\$4 portable) with (location\$3 position\$3) with (time near2 difference)) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (mobile wireless portable cell\$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:55
S244	30	S243 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:56

S245	17	S244 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 15:56
S246	611	((mobile wireless cell\$4 portable) with (plurality or each or every other all) with (time near2 difference))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 16:47
S247	4	((mobile wireless cell\$4 portable) with (plurality or each or every other all) with (time near2 difference)) and ((broadcast\$3 multicast multi- cast\$3) with (request inquiry query interrogat\$3) with (mobile wireless portable cell \$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 16:47
S248	1	S247 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 16:47
S249	0	((requesting) with receives with (plurality or each or every other all) with (time near2 difference)) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (mobile wireless portable cell\$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:10
S250	12	((plurality or each or every other all) with (time near2 difference)) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (mobile wireless portable cell\$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:13
S251	2	S250 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:13



S252	120	((plurality or each or every other all) with time) same (location position)) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (mobile wireless portable cell \$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:15
S253	846	((plurality or each or every other all) with time)) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (mobile wireless portable cell \$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:15
S254	373	S253 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:16
S255	44	S252 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:16
S256	34	S255 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:16
S257	276	((each or every all) with time with ((mobile wireless portable cell\$4) near2 (device terminal station))) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:28
S258	182	((each or every all) with time with ((mobile wireless portable cell\$4) near2 (device terminal station))) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:29
S259	103	S258 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:29

S260	65	((each or every all) near2 ((mobile wireless portable cell \$4) near2 (device terminal station)) with time) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:30
S261	18	((each or every all) near2 ((mobile wireless portable cell \$4) near2 (device terminal station)) with time) and ((broadcast\$3 multicast multi-cast\$3) with (request inquiry query interrogat\$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:31
S262	4	S261 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:31
S263	0	((each or every all) near2 ((mobile wireless portable cell \$4) near2 (device terminal station)) with (time near2 difference)) and ((request inquiry query interrogat\$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:33
S264	8	((each or every all) near2 (device terminal station) with (time near2 difference)) and ((request inquiry query interrogat\$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:34
S265	3	S264 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:35
S266	65	((each or every all) with (time near2 difference)) and ((request inquiry query interrogat\$3) with (location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:44
S267	36	S266 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:44

S268	27	(mobile wireless cell\$4 portable) and S267	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:45
S269	7	S268 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:46
S270	24	((each or every all) near2 (device terminal station)) with (time near2 difference)) and ((location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:57
S271	15	S270 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:57
S272	2	S271 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:58
S273	19	((each or every all) near2 (mobile wireless portable cell \$4)) with (time near2 difference)) and ((location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:59
S274	1	S273 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:59
S275	1	S274 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 17:59
S276	24	((each or every all) near5 (mobile wireless portable cell \$4)) with (time near2 difference)) and ((location position))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:01

S277	21	S276 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:01
S278	2	S277 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:01
S281	170	((time near2 difference)) and ((location position) with (mobile wireless portable cell \$4)).ab. and emergency.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:03
S282	99	((assistance participat\$3 aid help) with (mobile wireless portable cell\$4)) and S281	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:04
S283	3	((assistance participat\$3 aid help) with (other every all each) with (mobile wireless portable cell\$4)) and S281	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:05
S284	2	S283 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:05
S285	1166	((time near2 difference)) and ((location position) with (mobile wireless portable cell \$4)).ab. and emergency	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:06
S286	19	((assistance participat\$3 aid help) with (other every all each) with (mobile wireless portable cell\$4)) and S285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:06
S287	16	S286 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:07

S288	366	((plurality multiple various other every all each) near5 ((time near2 difference) tdoa)) with (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 18:15
S289	225	"devices" with send with ((tim\$3 near2 difference) td\$2\$2td)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:08
S290	142	S289 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:13
S291	18	S290 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:13
S292	2570	"devices" with ((tim\$3 near2 difference) \$1tdoa)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:27
S293	198	S292 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:27
S294	0	all near2 "devices" with ((tim\$3 near2 difference) \$1tdoa)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:28
S295	37	(set group) near2 "devices" with ((tim\$3 near2 difference) \$1tdoa)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:29
S296	23	S295 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:29

S297	12	(mobile wireless cell\$4 portable) and S296	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:30
S298	0	(each) near2 "devices" with ((tim\$3 near2 difference) \$1tdoa)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:34
S299	0	(all) near2 devices with ((tim\$3 near2 difference) \$1tdoa)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:34
S300	18	(all every each) near2 device with ((tim\$3 near2 difference) \$1tdoa)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:35
S301	13	S300 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:35
S302	4	(mobile wireless cell\$4 portable) and S301	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:35
S303	5	((all every each) near2 (device terminal phone station) with (location position) with (requesting near2 (device terminal phone station)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:59
S304	4	S303 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 20:59
S305	4	(mobile wireless cell\$4 portable) and S304	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 21:00

S306	9	((all every each) near2 (device terminal phone station) with (location position)) same (retriev\$3 near2 (device terminal phone station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 21:05
S307	3	S306 and ((@riad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 21:05
S308	0	(mobile wireless cell\$4 portable) and S307	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/28 21:06
S309	8992	((mobile cell\$4 wireless portable) near2 (device terminal station)) with (area range territory coverage cell region)) same ((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:31
S310	335	((mobile cell\$4 wireless portable) near2 (device terminal station)) with (area range territory coverage cell region)) same (((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td) with (parameter metric))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:32
S311	153	S310 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:32
S312	99	((mobile cell\$4 wireless portable) near2 (device terminal station)) with (area range territory coverage cell region)) same (((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td) with (parameter metric) with includ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:33
S313	45	S312 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:33

S314	13	S313 and (((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:33
S315	0	(((mobile cell\$4 wireless portable) near2 (device terminal station)) with (area range territory coverage cell region)) same (((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td) with (each))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:35
S316	0	(((mobile cell\$4 wireless portable) near2 (device terminal station)) with (area range territory coverage cell region)) same (((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td) with (all))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:36
S317	120	(((mobile cell\$4 wireless portable) near2 (device terminal station)) with (area range territory coverage cell region)) same (((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td) with (every))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:36
S318	196	(((mobile cell\$4 wireless portable) near2 (device terminal station)) with (area range territory coverage cell region) with (each every all other)) same (((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:37
S319	30	((each every all other) near2 ((mobile cell\$4 wireless portable) near2 (device terminal station)) with (area range territory coverage cell region)) same (((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:37
S320	23	S319 and (((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:38
S321	7	(each every all other) near2 (mobile cell\$4 wireless portable) near2 (device terminal station) with report\$3 with ((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:40



S322	23	S320 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:40
S323	7	S321 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:40
S324	5	S323 and (location position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:43
S325	81	(each every all other) with report\$3 with ((time near2 difference) tdoa e-tdoa \$2tdoa \$2td)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:49
S326	57	S325 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:49
S327	50	S326 and (location position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:49
S328	35	S327 and ((mobile cell\$4 wireless portable) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:50
S329	4	S328 and (("455"/\$.ccls.) ("370"/\$.ccls.) ("709"/\$.ccls.) ("379"/\$.ccls.) ("463"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 09:51
S331	2420	((buddy friend buddies group) with (position location distance)) and (round near2 trip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:04

S332	241	S331 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:04
S333	1051	((buddy friend buddies group) with (position location distance)) and (round near2 trip) and ((position location distance) with (relative))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:05
S334	111	S333 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:05
S335	256	((buddy friend buddies group) with (position location distance) with relative) and (round near2 trip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:06
S336	15	S335 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:06
S337	7	S336 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:06
S338	51	(each every all other) near2 (mobile cell\$4 wireless portable) near2 (device terminal station) with ((time near2 difference) timing tdoa e-tdoa \$2tdoa \$2td)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:09
S339	36	S338 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:09
S340	3	(each every all other) near2 (mobile cell\$4 wireless portable) near2 (device terminal station) with ((time near2 difference) tdoa e-tdoa \$2tdoa \$2td)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:13

S341	3	S340 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:13
S342	1172	(group plurality multiple list) with (mobile cell\$4 wireless portable) near2 (device terminal station) with ((time near2 difference) tdoa e-tdoa \$2tdoa \$2td)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:16
S343	38	(mobile cell\$4 wireless portable) near2 (device terminal station) with ((time near2 difference) tdoa e-tdoa \$2tdoa \$2td) near2 plurality	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:17
S344	23	S343 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 10:17
S345	7	mobile with controller with ("own location")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 13:52
S346	5	S345 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 13:52
S347	696	((network system controller remote\$2) with (location distance position proximity) near5 (device terminal station)) same (other near5 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:25
S348	36	((network system controller remote\$2) with (location distance position proximity) near5 (device terminal station)) with based with (other near5 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:25
S349	17	S348 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:25

S350	69	(location distance position proximity) near3 (device terminal station) with (based used) with (other near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:30
S351	45	S350 and (mobile wireless cell \$4 portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:31
S352	17	S351 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:31
S353	17	S352 and (network system controller remote\$2 external \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:37
S354	17	S352 and ((network system controller remote\$2 external \$2) with (location distance position proximity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:38
S355	73	(device station terminal) with (forward relay\$3 transfer\$4 transmi\$5 send\$3 sent) with ((network system controller remote\$2 external\$2) with (location distance position proximity)) and ((location distance position proximity) with (based used calculat\$3 determin\$5) with (other near2 (device terminal station)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:41
S356	46	S355 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:42
S357	9	S356 and (455/4\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 14:44

S359	187	((mobile wireless portable cell \$4) near2 (device terminal station)) with (measurement parameter metric (time near2 difference) tdoa e-tdoa \$2tdoa \$2td) with controller) same ((position location distance) near2 (mobile wireless portable cell\$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:41
S360	1	buddytracker	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:43
S361	0	S360 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:43
S362	3	S359 and ((other) near2 (mobile wireless portable cell \$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:44
S363	3	S362 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:44
S364	120	((mobile wireless portable cell \$4) near2 (device terminal station)) with (measurement parameter metric (time near2 difference) tdoa e-tdoa \$2tdoa \$2td) with controller with ((all \$2other every each one) near2 (mobile wireless portable cell \$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:47
S365	1521	((mobile wireless portable cell \$4) near2 (device terminal station)) with (measurement parameter metric (time near2 difference) tdoa e-tdoa \$2tdoa \$2td) with (transmi\$5 send\$3 relay\$3 forward\$3) with controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:49

S366	85	S364 and S365	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:50
S367	32	S366 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:50
S368	69	((mobile wireless portable cell \$4) near2 (device terminal station)) with (measurement parameter metric (time near2 difference) tdoa e-tdoa \$2tdoa \$2td) with controller with ((all \$2other every each one) near2 (mobile wireless portable cell \$4) near2 (device terminal station)) with (transmi\$5 send \$3 relay\$3 forward\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:53
S369	32	S367 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:53
S370	18	((mobile wireless portable cell \$4) near2 (device terminal station)) near2 forward\$3 with controller with ((all \$2other every each one) near2 (mobile wireless portable cell\$4) near2 (device terminal station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:58
S371	12	S370 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 16:59
S372	79	((mobile wireless portable cell \$4) near2 (device terminal station)) near2 (forward\$3 send transfer relay)) same ((all \$2other every each one) near2 (mobile wireless portable cell \$4) near2 (device terminal station) with (measurement parameter metric (time near2 difference) tdoa e-tdoa \$2tdoa \$2td)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 17:05

S373	36	S372 and ((@rlad<"20030930") or (@ad<"20030930"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 17:05
S374	33	S373 and (location position distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/29 17:26

**10/29/2010 7:31:51 PM****C:\Documents and Settings\fdonado\My Documents\EAST\Workspaces\10573975.wsp**